



Conversation Stations:

- Microglass
- Universal
- Carrara
- Kordsa
- Oyak Cimento

VIPER
TRADESHOW SERVICES

2575 NORTHWEST PKWY
ELGIN, IL 60124
P: 847.426.3100
F: 847.426.3111
www.vipertradeshow.com

NATIONAL PLASTERS COUNCIL
FEBRUARY 17-20, 2026
WESTIN ANAHEIM RESORT
ANABELLA BALLROOM A & B
ANAHEIM, CA

SHOW INFO

SHOW OPENS:
SHOW CLOSES:
MOVE IN:
MOVE OUT:
CONTACT:
PHONE:

REVISION DATE

8.20.25

DRAWN BY

M. MOSES /
M. THOMPSON

KEY

FE-FIRE EQUIPMENT
ALL EXITS 6' UNLESS NOTED
ALL DRAPE USSED MEETS
FLAME RETARDANT FIRE CODE

SCALE

1" = x UNITS

CAPACITY INFO

GUESTS: N/A
TOTAL SQ FT: 10912
USABLE SQ FT: 10912
MAX OCCUPANCY: 727
MAX ALLOWED OCCUPANCY: 727
EXIT FEET REQD: 12'
FIRE EXITS GIVEN: 58'
FIRE EXTINGUISHERS REQD: 3
FIRE EXTINGUISHERS GIVEN: N/A

ROOM

MAX OCCUPANCY 10912 sqft divided by 15 = 727
Linear footage of exits REQUIRED: 727 divided by 60 = 12'
Fire Exits Req: 727 Times .02 = 14'
Fire Exits Given: 58'
Fire Extinguishers Req: 10912 sqft divided by 3000 = 3
Fire Extinguishers Given: N/A

DISCLAIMER

Every effort has been made to ensure the accuracy of all information contained on this floor plan. However, no warranties, either expressed or implied, are made with respect to this floor plan. If the location of the building columns, utilities or other architectural components of the facility is a consideration in the construction or usage of an exhibit, it is the sole responsibility of the exhibitor to physically inspect the facility to verify all dimensions and locations.

Doors that are blocked or unavailable and are not needed to meet the minimum exit requirement will have exit signs covered.

There will be no candles, pyrotechnics or open flames that have not been properly permitted used in this event.